

L Number	Hits	Search Text	DB	Time stamp
1	7	((("6678827") or ("6631407") or ("6233618") or ("6505245") or ("6470386") or ("5958016") or ("6721713")).PN.	USPAT	2004/05/27 14:11
-	0	network near5 management and (access\$3 or request\$3) near10 device near10 (data or information) adj5 (based or accord\$4 or correspond\$3 or respond\$3) near15 (user or client) near3 profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:47
-	156	network near5 management and (access\$3 or request\$3) near10 device near10 (data or information) adj5 (based or accord\$4 or correspond\$3 or respond\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:20
-	9	(network near5 management and (access\$3 or request\$3) near10 device near10 (data or information) adj5 (based or accord\$4 or correspond\$3 or respond\$3)) and (user or client) near3 profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:48
-	56	(network near5 management and (access\$3 or request\$3) near10 device near10 (data or information) adj5 (based or accord\$4 or correspond\$3 or respond\$3)) and (user or client) near10 (profile or database or directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:48
-	19	((network near5 management and (access\$3 or request\$3) near10 device near10 (data or information) adj5 (based or accord\$4 or correspond\$3 or respond\$3)) and (user or client) near10 (profile or database or directory)) and (based or accord\$4 or correspond\$3 or respond\$3) near10 (user or client) near10 (profile or database or directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 15:49
-	5	((network near5 management and (access\$3 or request\$3) near10 device near10 (data or information) adj5 (based or accord\$4 or correspond\$3 or respond\$3)) and (user or client) near10 (profile or database or directory)) and (based or accord\$4 or correspond\$3 or respond\$3) near10 (user or client) near10 (profile or database or directory)) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:21
-	3	network adj management and (access\$3 or request\$3) near10 device adj (data or information) adj5 (based or accord\$4 or correspond\$3 or respond\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:06
-	1078	SNMP and (709/\$3 or 370/\$7).ccls. and (MIB or management adj information adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:05
-	0	(SNMP and (709/\$3 or 370/\$7).ccls. and (MIB or management adj information adj base)) and stor\$3 near10 user adj profile near10 (database or data adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:25
-	17	(SNMP and (709/\$3 or 370/\$7).ccls. and (MIB or management adj information adj base)) and stor\$3 near10 profile near10 (database or data adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:06
-	11	((SNMP and (709/\$3 or 370/\$7).ccls. and (MIB or management adj information adj base)) and stor\$3 near10 profile near10 (database or data adj base)) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 16:26
-	1738	SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:18

-	5	(SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) and stor\$3 adj10 (user or client) adj10 (profile or data or information) adj5 (database or data adj base or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:15
-	172	(SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) and (user or client) adj10 (profile or data or information) adj5 (database or data adj base or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:20
-	58	((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) and (user or client) adj10 (profile or data or information) adj5 (database or data adj base or repository)) and access\$3 near10 device adj5 (data of information or MIB or management adj information adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:16
-	70	((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) and (user or client) adj10 (profile or data or information) adj5 (database or data adj base or repository)) and (check\$3 or retriev\$3 or access\$3 or obtain\$3) near10 device adj5 (data of information or MIB or management adj information adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:20
-	1341	(network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:19
-	2586	(SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:39
-	232	((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (user or client) adj10 (profile or data or information) adj5 (database or data adj base or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:20
-	92	((((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (user or client) adj10 (profile or data or information) adj5 (database or data adj base or repository)) and (check\$3 or retriev\$3 or access\$3 or obtain\$3) near10 device adj5 (data of information or MIB or management adj information adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:26
-	59	(((((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (user or client) adj10 (profile or data or information) adj5 (database or data adj base or repository)) and (check\$3 or retriev\$3 or access\$3 or obtain\$3) near10 device adj5 (data of information or MIB or management adj information adj base)) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:31

-	15	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (user or client) adj10 (profile or data or information) adj5 (database or data adj base or repository)) and (check\$3 or retriev\$3 or access\$3 or obtain\$3) near10 device adj5 (data of information or MIB or management adj information adj base)) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and network adj management adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:22
-	1	((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3) near10 device adj5 (data of information or MIB or management adj information adj base) with (based or accord\$4 or correspond\$3 or respond\$3) near5 (user or client or customer) near5 (profile or database or data adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:33
-	45	((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3) with (based or accord\$4 or correspond\$3 or respond\$3) near5 (user or client or customer) near5 (profile or database or data adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:30
-	26	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3) with (based or accord\$4 or correspond\$3 or respond\$3) near5 (user or client or customer) near5 (profile or database or data adj base)) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:34
-	103	((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3) near10 device adj5 (data of information or MIB or management adj information adj base) with (profile or database or data adj base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:10
-	67	((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and ((request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3) near10 device adj5 (data of information or MIB or management adj information adj base)).ab.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:41
-	49	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and ((request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3) near10 device adj5 (data of information or MIB or management adj information adj base)).ab.ti.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:39

-	0	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and ((request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3) near10 device adj5 (data of information or MIB or management adj information adj base)).ab.ti.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and profile.ab.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:36
-	3	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and based adj5 profile.ab.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:37
-	3	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (based adj5 profile).ab.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:40
-	3	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (based adj5 profile).ab.ti.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:37
-	1247	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:39
-	742	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:39
-	1	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and (based adj5 profile).ab.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:42
-	0	((((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and ((request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3) near10 device adj5 (data of information or MIB or management adj information adj base)).ab.ti.) and (((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and (based adj5 profile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:42

-	24	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and (based adj5 profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:45
-	66	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and (database or data adj base or repository or storage or memory) near10 (contain\$3 or stor\$3 or includ\$3) near10 (address and (ID or identifi\$7 or name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:08
-	75	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and (database or data adj base or repository or storage or memory or profile) near10 (contain\$3 or stor\$3 or includ\$3) near10 (address and (ID or identifi\$7 or name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:49
-	0	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and (user or client or customer) adj profile near10 (contain\$3 or stor\$3 or includ\$3) near10 (address and (ID or identifi\$7 or name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:49
-	9	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and (profile) near10 (contain\$3 or stor\$3 or includ\$3) near10 (address and (ID or identifi\$7 or name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:49
-	26	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and ((request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3) near10 device adj5 (data of information or MIB or management adj information adj base)).ab.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:10
-	0	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and ((configure or configuring) near10 nework adj device).ab.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:57

-	0	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and ((configure or configuring or configuration) near10 nework adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 09:57
-	518	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and SNMP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:07
-	75	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and (profile or database or data adj base or repository or storage or memory) near10 (contain\$3 or stor\$3 or includ\$3) near10 (address and (ID or identifi\$7 or name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:18
-	59	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and (profile or database or data adj base or repository or storage or memory) near10 (contain\$3 or stor\$3 or includ\$3) near10 (address and (ID or identifi\$7 or name))) and network adj3 device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:08
-	682	((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3 or configur\$5) adj10 network adj3 device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:05
-	21	((((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and (profile or database or data adj base or repository or storage or memory) near10 (contain\$3 or stor\$3 or includ\$3) near10 (address and (ID or identifi\$7 or name))) and network adj3 device) and (request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3 or configur\$5) adj10 network adj3 device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:20
-	4	(((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data of information or MIB or management adj information adj base))) and (709/22\$).ccls.) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and (profile or database or data adj base or repository or storage or memory) near10 (contain\$3 or stor\$3 or includ\$3) near10 (address and (ID or identifi\$7 or name) and password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 10:18

-	12	((("20020055924") or ("20010020254") or ("6577622") or ("6335927") or ("20030110293") or ("20030014505") or ("6721713") or ("6640097") or ("6505245") or ("6470386") or ("5958016") or ("5689708")).PN.	USPAT; US-PGPUB	2004/05/20 11:31
-	6	((("6678827") or ("6631407") or ("6233618") or ("6505245") or ("6470386") or ("5958016")).PN.	USPAT	2004/05/21 11:56
-	682	((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data or information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data or information or MIB or management adj information adj base))) and (request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3 or configur\$5) adj10 network adj3 device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:06
-	28	((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data or information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data or information or MIB or management adj information adj base))) and (request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3 or configur\$5) adj10 network adj3 device) and SNMP with (community or command) adj5 string	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:15
-	13	((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data or information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data or information or MIB or management adj information adj base))) and (request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3 or configur\$5) adj10 network adj3 device) and SNMP with (community or command) adj5 string) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:15
-	2	((SNMP and (709/\$3 or 370/\$7).ccls. and device adj5 (data or information or MIB or management adj information adj base)) or ((network near5 manag\$5).ti.ab. and (709/\$3 or 370/\$7).ccls. and device adj5 (data or information or MIB or management adj information adj base))) and (request\$3 or check\$3 or retriev\$3 or access\$3 or obtain\$3 or configur\$5) adj10 network adj3 device) and SNMP with (community or command) adj5 string) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 14:11
-	44	SNMP adj community adj string	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:15
-	25	(SNMP adj community adj string) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:16
-	8	((SNMP adj community adj string) and (@AD<20001101 or @PRAD<20001101 or @RLAD<20001101)) and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:17

claim_map.txt

Claim Tree of C:\A_patent\network\cases\09703856\:

```
1
|__2
|__3
|__4
|__5
|__6
.|__7
|__8
|__9
.|__10
|__11
|__12
.|__13
.|__14
.|__15
|. . |__16
|__17
|__18
.|__19
|__20
.|__21
.|__22
|__23
|__24
|__25
```

```
26
|__27
|__28
|__29
|__30
|__31
|__32
|__33
.|__34
|__35
```

```
36
|__37
.|__38
.|__39
```